

MATCHPRINT Virtual Proofing System – LCD Version 4.0

Quick Start



Kodak Polychrome Graphics
A Subsidiary of Kodak

© 2005 Kodak. All rights reserved.

Kodak, RealTimeProof, and MATCHPRINT are trademarks of Eastman Kodak Company. All trademarks and registered trademarks used herein are the property of their respective owners.

September 2005

Technical Support

United States and Canada: 1-877-574-7274

For all other global support numbers, please call the local KPG Service Department or your certified distributor.


Software Installation


1. Log in to the Macintosh as the administrator using the administrator ID and password.
2. Insert the MATCHPRINT Virtual Proofing System installation CD into the CD drive.
3. When the CD icon displays on your desktop, double click to view the contents.
4. Double-click the **MVP-LCD vx Installer** icon. Follow the prompts to complete installation.
5. Restart your computer.

System Settings – Mac OS 10.3.9 Only

1. Navigate to **Macintosh HD > Applications > Utilities > ColorSync Utilities**.
2. Select the **CMMs** tab and set the **Preferred CMM** to **KPG CFM**.
3. Quit the ColorSync Utility by clicking on the ColorSync Utility pull-down menu and selecting **Quit ColorSync Utility**.

System Settings – All Mac OS Systems

1. For best color viewing, Kodak Polychrome Graphics recommends the following system preference settings:
2. At the Apple menu , select **System Preferences** then:


- Go to **Desktop & Screen Saver**  and set **Start screen saver** to 30 minutes or greater on the sliding scale to prevent screen savers from interfering with the calibration process.


- Go to **Energy Saver**  and set both sliding scales to **Never**.


3. Close System Preferences when complete.


Licensing

MATCHPRINT Virtual Proofing System software comes with an 8-day temporary license so the software can be used immediately. However, you need to request and enable your license code by completing the following steps. You will need a valid email address to receive your permanent licenses.

1. At the Dock, click and hold the **MATCHPRINT Virtual** folder , then select **MVP Preferences** from the pop-up menu. Wait approximately 30 seconds until the **Preference** window displays.




2. **Monitor Licenses:** At the **Preferences** window, **License** tab, record each monitor's serial number (e.g., EN_CG21_XXXXXXXX or APP_y_XXXXXX). *Do not use the monitor numbers found on the outside of the monitor chassis or shipping container.*
3. **Supplemental Designation License:** Go to **Apple menu**  **> System Preferences > Network.**
4. Select **Show: Built-in Ethernet** and record the **Ethernet ID** address.



5. E-mail the monitor serial number(s), the Ethernet address, and your application serial number (located inside cover of CD case behind literature) to mvplicensing@kpgraphics.com.

When your license codes arrive, enter them into the **MVP Preferences > License** tab using the following instructions:

1. In the **Preferences** window, click on the **License** tab.
2. Click the **Add License** button.
3. Copy and paste the first license code you received into the entry field.




4. Click **OK**.
5. For each remaining license code received, repeat steps 1 through 4.
6. Close the **Preferences** window.

Monitor Calibration

The monitor calibration requires the monitor be on for 1 hour prior to doing the calibration. If the monitor has not been on long enough, a countdown displays indicating the amount of time left before calibration can occur.

Monitor Calibration must be done every 24 hours to ensure accurate color viewing.

1. At the Dock, click and hold the **MATCHPRINT Virtual** folder , then select **MVP Calibrate System** from the pop-up menu.
2. The monitor displays a window to calibrate the **MATCHPRINT Virtual Monitor Calibrator**. Follow the screen prompts to place the calibrator face down on a flat, opaque surface, such as the table, so no light enters the sensors and click the **OK** button. Wait approximately 8 seconds until calibration is complete.
3. Place the calibrator on top of the target pattern displayed on the screen with color sensors facing the screen.
4. Press the **Return** key on your keyboard.
5. A series of color patches display on the monitor screen. **DO NOT** move the calibrator until you see a calibration result dialog. Click the **OK** until all windows are closed.

If calibration fails, quit MATCHPRINT Virtual, and repeat the process. If calibration continues to fail, call technical support for assistance.

Calibration Failure

If calibration fails, the following message displays: **“Calibrate System on this monitor failed. This monitor could not achieve specified targets.”**

Quit MATCHPRINT Virtual, and repeat the process. If calibration continues to fail, call technical support for assistance.

Monitor Cal Reminder

Calibration requires the monitor be on for 1 hour prior to calibration. If the system has been on less than an hour, a countdown displays the amount of time remaining before calibration can occur.

Monitor Calibration must be done every 24 hours to ensure accurate color viewing. The MATCHPRINT Virtual application prompts you to calibrate by displaying a **“System Uncalibrated”** reminder.


Changes in ambient room temperature of $\pm 5^{\circ}\text{C}$ may cause the MATCHPRINT Virtual application to prompt for recalibration. Note that leaving the calibrator on the monitor may cause recalibration. The calibrator should be stored in the holder provided when not in use.


Click on **Calibrate** to begin the calibration process. Remove the calibrator from the monitor when complete.

Download Client Proofing and P3 Software

1. Using your Internet browser, go to <http://www.matchprintvirtual.com/asp/download/default.asp>
2. Locate the **Proofing Client for MAC (OSX)** and download the software to your desktop.
3. Locate the **Personal Proofing Publisher (P3) for MAC (OS X)** and download the software to your desktop.
4. On your desktop open the **NPC-Mac-5.x** (Proofing Client) icon. Double-click the installer file and follow the prompts to install the software.
5. On your desktop open the **P3 Installer** icon. Double-click the installer file and follow the prompts to install the software.

Proofing Client Settings

1. Navigate to **Macintosh HD > RealTimeProof > Proofing Client** folder and launch the **Proofing Client** software.
2. Click on the **Settings** icon  and make sure **Use ColorSync** and **Start in actual size** are set:



Account Setup

1. You will receive an email invitation to setup your account. Click on the URL as instructed in the email and your Internet browser will bring you to the login screen.

Dear New User

Administrator [mailto:Admin@sample.com] invites you to join the "Your Company Name" Workspace at Matchprintvirtual.com.

You were granted the [[privilege role](#)] role.
Matchprintvirtual.com has identified you as a valid user.
Username: NewUser@sample.com
To accept the invitation, click on the following URL:
<<http://www.matchprintvirtual.com/reg.asp?p=2&w=1&v=38761940921076594&i=1805696>>

If you wish to decline this invitation, simply disregard this email or click on the following URL:
<<http://www.matchprintvirtual.com/reg.asp?p=3&v=38761940921076594>>
(clicking this URL will inform The Administrator that you declined the invitation)

2. Enter all logon details.
3. Click on the **Update** button at the bottom of the screen to complete your account setup.

Next Steps: Additional Documents

For additional information on system setup, light-controlled viewing box settings, color management, and custom color profiles, go to the ***Administrator Reference.pdf***.

For information on standard operating procedures such as uploading and viewing images, go to the ***Operator Reference.pdf***.

Note: Documents are located on the installation CD in the **Documents** folder.